



2023 Water System Improvements
BID NUMBER: 23-09

ADDENDUM NO. 1

DATE: June 22, 2023

BID DUE DATE: 2:00 pm on June 29, 2023

This addendum is for the 2023 Water System Improvements Project, Bid No. 23-09, issued June 13, 2023. The document is posted to provide modifications to the contract documents.

The addendum shall become as fully a part of the above-named project drawings, specifications, and bid documents. Each bidder shall be responsible for reading this addendum to ascertain to what extent and in what manner it affects the work to be performed. The original Bid Document remains in effect and is not changed by this Addendum except as indicated.

All bidders must acknowledge their receipt of this Addendum on the Bid Form, Page A-5 of the Bidding Requirements.

MODIFICATIONS TO CONTRACT DOCUMENTS

Ref No.	Spec or Drawing	Location and Description of Change (modifications are shown in orange)
1.01	Division 10	<p>PAGE TS-38 MODIFY the section “Hot Mix Asphalt (HMA) Class B Overlay” to the following:</p> <p>Hot Mix Asphalt (HMA) Class B Overlay</p> <p>The unit price per ton of “Hot Mix Asphalt (HMA) Class B Overlay” shall be full compensation for all labor, equipment, tools, and materials required to furnish and place Class B hot mix asphalt pavement for full width overlay on roadways and driveways as shown on the Plans. The unit price shall include all necessary preparation of edges with asphalt emulsion, base preparation, and installation and compaction of the Class B hot mix asphalt and sealing of joints. Measurement and payment shall be per ton of hot mix asphalt placed based on actual truck weight tickets. Adjustment of utilities to final grade shall be considered incidental unless a specific bid item has been provided in these special provisions. Work to replace old utility castings shall be considered incidental to this bid item, new castings shall be provided by the City.</p>

1.02	Division 10	<p>PAGE TS-44 MODIFY the section “Adjust Existing Catch Basin to Grade” to the following:</p> <p>Adjust Existing Catch Basin to Grade</p> <p>The unit price per each of “Adjust Existing Catch Basin to Grade” shall be full compensation for all labor, equipment, tools, and materials necessary to adjust the elevation of existing catch basin and manhole rims to finish grade including but not limited to sawcutting, jack hammering, backfill, material disposal, compaction, shims, and risers. No additional payments shall be made for adjustments during construction. Payment shall only be made for adjusting utilities within overlay. All other utility adjustments within the overlay are considered incidental to the bid item “Hot Mix Asphalt (HMA) Class B Overlay”.</p>
1.03	Division 7	<p>PAGE TS-24 MODIFY the section 7-15.3 Construction Requirements to include the following after the last paragraph:</p> <p>Long customer side connections on 74th Ave SE in Schedule B are shown for schematic purposes only on the plans. These backside service lines may be relocated at the Contractor’s option given the following is adhered to; no impact to concrete road panels is allowed, concrete road panels are to be protected in place; impacts to shrubbery, private landscaping and landscaping features must be minimized. Shrubby, private landscaping, and landscaping features will be paid for under the Property Restoration bid item.</p>

Issued By:



Rob Dahn, PE, Senior Project Manager
The BlueLine Group



George Fletcher, Senior CIP Project Manager
City of Mercer Island